

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : Zoecon Altosid XR-G Ultra
Synonyms : EPA Reg. No.: 89459-104, 100541067, 100541068, RF2252 WXRG Granules

1.2. Recommended use and restrictions on use

Recommended use : Insect growth regulator.
Restrictions on use : Keep out of reach of children. Avoid contact with eyes, skin or clothing. Avoid breathing dust.

1.3. Supplier

Central Garden & Pet Company
1501 E. Woodfield Road, Suite 200W
Schaumburg, IL 60173 - United States

www.centralmosquitocontrol.com

1.4. Emergency telephone number

Emergency number : 1-800-248-7763
1-800-424-9300 - CHEMTREC
1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Carcinogenicity Category 1A : May cause cancer
Specific target organ toxicity (repeated exposure) Category 1 : Causes damage to organs through prolonged or repeated exposure

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



GHS08

Signal word (GHS US) : Danger
Hazard statements (GHS US) : May cause cancer
Causes damage to organs through prolonged or repeated exposure (lungs)
Precautionary statements (GHS US) : Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash hands, forearms and face thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.
If exposed or concerned: Get medical advice/attention.
Get medical advice/attention if you feel unwell.
Store locked up.
Dispose of contents/container to in accordance with local/regional/national/international regulations.
Supplemental information : The finished product is not considered carcinogenic because of the product's physical form. The Hazard Statement "May Cause Cancer" is presented because a component of this product contains naturally occurring crystalline silica (quartz) and titanium dioxide which are classified as carcinogenic to humans if inhaled. Respiratory exposure to silica dust and titanium dioxide from the finished product is not expected to occur under normal conditions of use due to the manner in which the constituents are bound. The crystalline silica and titanium dioxide in the finished product is unlikely to pose personal exposure via inhalation in light of studies

Zoecon Altosid XR-G Ultra

Safety Data Sheet

conducted that indicate there is minimal liberation of particulates from the product during extreme handling or transport.

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
(s)-Methoprene Technical	(CAS-No.) 65733-16-6	1.6
Silica, crystalline - quartz	(CAS-No.) 14808-60-7	63.8 - 90.7
Paraffin waxes (petroleum), clay-treated	(CAS-No.) 64742-43-4	1.09
Silica, amorphous, precipitated and gel	(CAS-No.) 112926-00-8	2.4
Titanium dioxide	(CAS-No.) 13463-67-7	< 0.6
Non-hazardous and/or does not meet criteria for classification	(CAS-No.) N/A	Balance

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Inhalation may cause irritation (cough, short breathing, difficulty in breathing).

Chronic symptoms : Causes damage to lungs, silicosis through prolonged or repeated exposure via inhalation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Avoid heavy hose streams.

5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Do not allow fire fighting water to escape into waterways or sewers. Do not use direct stream of water. A direct stream of water may spread fire. Ventilate closed spaces before entering. Do not breathe gas/fumes/vapor/spray. Keep unauthorized personnel away.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapors/spray.

Zoecon Altosid XR-G Ultra

Safety Data Sheet

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure controls/personal protection.
Emergency procedures	: Avoid dust formation. Do NOT wash away into sewer. Avoid release to the environment. Evacuate unnecessary personnel. Stay upwind. Stop release. Ventilate area. Wear appropriate personal protective equipment, avoid direct contact.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Sweep or scoop spills, dispose of any unusable material in approved landfill. Use appropriate PPE.
-------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Provide local exhaust or general room ventilation. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep container tightly closed. Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible materials	: Strong acids. Strong oxidizers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Silica, crystalline - quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m ³)	0.025 mg/m ³ (respirable particulate matter)
OSHA	OSHA PEL (TWA) (mg/m ³)	50 µg/m ³
IDLH	US IDLH (mg/m ³)	50 mg/m ³ (respirable dust)
NIOSH	NIOSH REL (TWA) (mg/m ³)	0.05 mg/m ³ (respirable dust)
Paraffin waxes (petroleum), clay-treated (64742-43-4)		
ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³
Silica, amorphous, precipitated and gel (112926-00-8)		
OSHA	OSHA PEL (TWA) (mg/m ³)	Mineral Dusts: 20 mppcf TWA; (80)/(% SiO ₂) mg/m ³
OSHA	Remark (OSHA)	(3) See Table Z-3.
Titanium dioxide (13463-67-7)		
ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³
ACGIH	Remark (ACGIH)	LRT irr; A4 (Confirmed Animal Carcinogen with Unknown Relevance to Humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure)
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust)
IDLH	US IDLH (mg/m ³)	5000 mg/m ³

Zoecon Altosid XR-G Ultra

Safety Data Sheet

8.2. Appropriate engineering controls

Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear long-sleeved shirt and long pants, and shoes plus socks.

Respiratory protection:

In case of insufficient ventilation, use NIOSH approved respiratory protection.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: White to medium gray granular solid
Color	: White to medium gray
Odor	: Weak, neutral, chalk-like
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Bulk density	: 1.4 g/cc
Solubility	: Insoluble
Log Pow	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Zoecon Altosid XR-G Ultra

Safety Data Sheet

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerization will not occur.

10.4. Conditions to avoid

Avoid dust formation.

10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

(s)-Methoprene Technical (65733-16-6)	
LD50 oral rat	> 34000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	5.19 mg/l/4h
Silica, crystalline - quartz (14808-60-7)	
Listed on IARC (International Agency for Research on Cancer), Listed as carcinogen on NTP (National Toxicology Program)	
IARC group	1 - Carcinogenic to humans
National Toxicity Program (NTP) Status	Known Human Carcinogens
In OSHA Hazard Communication Carcinogen list?	Yes
Titanium dioxide (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans
In OSHA Hazard Communication Carcinogen list?	Yes

GHS-US Properties	Classification
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	Not classified
Germ cells mutagen	Not classified
Carcinogenicity	May cause cancer.
Reproductive toxicity	Not classified
Specific target organ toxicant (single exposure)	Not classified
Specific target organ toxicant (repeated exposure)	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not classified

Potential health effects

Inhalation

- Acute : Exposure to respirable crystalline silica is not expected during the normal use of this product. However, acute silicosis can occur with exposures to very high concentrations of respirable crystalline silica over a very short time period, sometimes as short as a few months. The symptoms of acute silicosis include progressive shortness of breath, fever, cough and weight loss.
- Chronic : Exposure to respirable crystalline silica is not expected during normal use of this product. However, prolonged overexposure to respirable crystalline silica may cause lung disease (silicosis).

Skin

- Acute : Exposure may cause mechanical skin irritation.

Eye

- Acute : Exposure may cause mechanical eye irritation.

Ingestion

Zoecon Altosid XR-G Ultra

Safety Data Sheet

Acute	: Under normal conditions of use, no health effects are expected.
Mutagenicity	: Not classified.
Carcinogenicity	: Crystalline silica (quartz) inhaled from occupational sources is classified as carcinogenic to humans. Titanium dioxide is classified as a possible carcinogen Group 2B by IARC. Exposure to respirable crystalline silica dust or titanium dioxide from the finished product is not expected to occur due to the manner in which the constituents are bound, thus the finished product is not considered carcinogenic under conditions of normal use.
Reproductive Effects	: Not classified.

SECTION 12: Ecological information

12.1. Toxicity

(s)-Methoprene Technical (65733-16-6)	
LC50 Acute fish 1	0.76 mg/l (Exposure time: 96h - Rainbow trout)
LC50 Acute fish 2	> 0.37 mg/l (Exposure time: 96h - Blue gill)
LC50 Acute crustacea 1	0.11 mg/l (Exposure time: 96h - Mysid shrimp)
LC50 Acute crustacea 2	0.36 mg/l (Exposure time: 48h - Daphnia magna)
NOEC Chronic fish 1	0.048 mg/l (Fathead minnow)
NOEC Chronic crustacea 1	0.014 mg/l (Mysid shrimp)

12.2. Persistence and degradability

(s)-Methoprene Technical (65733-16-6)	
Persistence and degradability	(s)-Methoprene degrades rapidly in sunlight, both in water and on inert surfaces. The pesticide also is metabolized rapidly in soil and does not leach. Thus, it should not persist in soil or contaminate ground water.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

(s)-Methoprene Technical (65733-16-6)	
Mobility in soil	Rapidly metabolized in soil under both aerobic and anaerobic conditions (half-life 10-14 days).

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable
IMDG	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable
IATA	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Zoecon Altosid XR-G Ultra

Safety Data Sheet

Silica, crystalline - quartz (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Titanium dioxide (13463-67-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

FIFRA Labelling

EPA Registration Number 89459-104

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

FIFRA Signal word

Caution

FIFRA Precautionary Statement

KEEP OUT OF REACH OF CHILDREN.

FIFRA Hazards to Humans and Domestic Animals

Causes moderate eye irritation. Avoid contact with eyes or clothing. Due to the size and abrasiveness of the granule, use protective eyewear and clothing (e.g., waterproof gloves) to minimize exposure during loading and handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIFRA First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

FIFRA Environmental Hazards

Do not contaminate water when disposing of equipment washwaters or rinsate.

15.2. US State regulations

No additional information available

SECTION 16: Other information

Date of issue : 17 September 2019

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.